

... when it matters!



Richter akustik & design offers the most innovative and unique solutions for the architectural and design professions, high-quality furniture manufacturers and the millwork trade. With our experience, our customers can expect sophisticated and economical solutions to their ideas - This is what our highly motivated team of employees strives for!

Creative innovators and passionate entrepreneurs

Eberhard Richter, Aristidis Tsakuridis and Edmund Ostrowski Development and Production LightBeton® Richter akustik & design GmbH & Co. KG

Light**Beton**® Real concrete for attractive and

unique interiors





0

With a surface weight of 3,9 kg/m² (0.79 lbs./sq. ft.) it is lightweight when compared to an actual concrete wall - weight savings of up to 90%!



Available on demand: composite material fire rated according to DIN EN 13501-1.



Easily processed with standard woodworking equipment with no excessive tool wear.



The concrete surface can be used for temporary flooring at trade shows and exhibitions.

Light**Beton**®

Real concrete (no imitation) with unlimited possibilities for interior design

When the 2 mm (0.079") LightBeton is applied to various panels such as plywood, MDF or partical board, to offer just a few examples, the possibilities are unlimited for architechural and design applications, trade shows, retail stores, retail fixtures and cabinets.

Millwork companies can use their automatic edgebander producing what appears to be a solid concrete panel. Carpenters and installers do not have to use any specialty equipment.



DGCNB° Detache Gereicheit für Kachteligen Basen e.K. German Strataneble Hulding Council			
Interior			
innovation			
award			
2013			
2015			
Best of Best			
best of the best interzum award: intelligent material & design 2013			



)) Retail shops and shop systems

Counters, pedestals, tables, columns/pillars ...




Light**Beton**®

Light**Beton**® Classic grey

Puma Shop at the MALL in Dubai



140 - ---





)) Trade show constructions & exhibitions

Wall claddings, room dividers, doors, counters ...



Light**Beton**®





) Bars, Cafés & Restaurants

Room dividers, pillars, backings, counters, pedestals, tables ...

Ixel

Light**Beton**® Urban grey with 5 mm polypropylene honeycomb*

Sausalitos Hamburg



Light**Beton**®

Light**Beton**® Classic grey

Arcaden Recklinghausen





)) Architecture and living rooms

Wall claddings, room dividers, doors, counters ...



Light**Beton**®

)) Architecture and living accomodations

Wall claddings, room dividers, doors ...

Wall claddings, room dividers, doors, counters ...



)) Trade show constructions & exhibitions

LightBatte





Light**Beton**® Urban grey

Trade show booth – counters, doors and wall claddings









NEW Material composition with polypropylene honeycomb

A composite of materials made of light honeycomb as a carrier plate with a surface of 2 mm (0.08") LightBeton® reaching a total material thickness of approx. 7 mm (0.275") combined – with a porous surface and formwork patterns.

Material composition MDF

A composite material made of HPL-coated MDF carrier plate (B1) and a covering surface of 2 mm LightBeton® reaching a material thickness of approx. 19 mm (0,748") altogether – with irregular surface holes and the authentic formwork characteristics.

Light**Beton**®

AN MUNICIPAL OF

Standard and custom sized panels ...the solutions for fabrication and design



LightBeton[®] is suitable for edgebanding machinery and looks authentic with bevels. The corresponding edge is available for any product.

Material composition | Size: 3.020 mm (118.9") x 1.250 mm (49.2")

Light Beton ®	2 mm ⁽¹⁾	7 mm ⁽²⁾	19 mm ⁽³⁾
Classic grey	•	•	•
Urban grey	•	•	•
Classic white	•	•	•
Classic anthrazit	•	•	•
Formwork System		•*	•*
Edge material	Edgebanding 3.020x24x2 mm		

(1) Surface layer: 2 mm (0.079") LightBeton[®] | Backing: fiber glass matrix | Weight: 3,9 kg/m² (0.79 lbs / sq. ft.)
(2) Core: 5 mm (0.197") honeycomb | Concrete layer: 2 mm (0.079") LightBeton[®] | Weight: 5,6 kg/m² (1.15 lbs / sq. ft.)
(3) Core: 16 mm (0,623") fire rated MDF panel | Concrete layer: 2 mm (0.079") LightBeton[®] | Backing: 0,8 mm HPL | Weight: 16,4 kg/m² (3.34 lbs / sq. ft.)

* The Formwork system transfers detailed impressions into the surface of the concrete. Any combination of the listed sizes are available for ordering: 2.000 x 1.200 mm (78.7" x 47.2") | 1.000 x 1.200 mm (39.4" x 47.2") | 600 x 1.200 mm (23.6" x 47.2") | 500 x 1.200 mm (19.7" x 47.2") Total thickness including MDF carrier (standard).

Concrete surfaces in 5 different versions with the typical pores.



LightBeton® Classic grey



LightBeton® Urban grey



LightBeton® Classic anthrazit





LightBeton[®] Classic white



Light**Beton[®] Formwork System** transfers detailed impressions into the surface of the concrete



Further creative and innovative surfaces:



Acoustic-Lightboard Perfect acoustics and high fire protection



 StoneVeneer
 The real stone veneer with a natural surface

Light**Beton**®

- walls
- furniture manufacturing
- tables
- counters
- trade show floorings
- pedestals
- columns/pillars

and... and... and...

Service for architects:

It will be our pleasure to support you with architectural specifications and data sheets

The creatives and noorings

HINT:

Ask about our prefabricated panels.

Proudly represented in Canada by:

WALLWORKS

INDUSTRY LEADER IN NOISE CONTROL & ARCHITECTURAL SPECIALTIES Vancouver · Calgary · Edmonton · Regina · Saskatoon · Winnipeg · Toronto · Ottawa · Montreal Head Office: 424-51st Ave SE, Calgary ، AB 12H 0M7 T. 403 255 3550 F. 403 586 2592 www.wallworks.com · info@wallworks.com

> www.richter-akustik-design.de info@richter-akustik-design.de