

STRATUX CLOUD[™] | PET Acoustical Ceiling Cloud

Beauty Meets Function. These ceiling clouds offer an acousticaly superior recycled PET felt surface. This works in tandem with our uniquely designed internal air cavities to provide excellent acoustical benefit. Stratux Cloud offers a variety of shapes and colors giving you endless design possibilites.



Distributed by: WALLWORKS. ACOUSTIC. ARCHITECTURAL. PRODUCTS. INC.

sales@wallworks.com

SPECIFICATIONS

Standard Cloud Sizes:	47" Diameter Circle or 47"x 47" Square
Thickness:	2-3/4"
Weight:	15 lbs./Cloud
Fire Rating:	Class A per ASTM E-84

HARDWARE OPTIONS


Product can be installed with your choice of either aircraft cable or threaded rod attachments.

ACOUSTICAL DATA

Frequency (Hz)	125	250	500	1000	2000	4000	SABINS
2-3/4" Thickness	8.03	11.24	16.21	23.43	27.08	29.63	
Frequency (Hz)	125	250	500	1000	2000	4000	NRC
2-3/4" Thickness	.53	.74	1.06	1.54	1.77	1.94	1.30

Based on Cloud size 4' x 4' with Type "J" Mounting. Sabins are based on Sabins per Object, NRC is an equivalent number based on one face of one panel

INSTALLATION OPTIONS



The aircraft cable method has two options; Multiple strands to the deck or a single strand to the deck with a sputnick hardware option.



Distributed by: WALLWORKS. ACOUSTIC. ARCHITECTURAL. PRODUCTS. INC. sales@wallworks.com



FEATURES:

- Easy Install
- Choice of 34 Colors
- Available in Circles and Squares

STRATUX CLOUD™ PET Acoustical Ceiling Cloud

FINISHES



COMPOSITION:

- 100% Polyethylene Terephthalate (PET)
- 55% recycled content

ENVIRONMENTAL FACTORS:

- 100% recyclable
- Low VOC Emissions
- ASTM D5116
- LEED MRc4







Distributed by: SOUND SEAL[®] WALLWORKS. ACOUSTIC. ARCHITECTURAL. PRODUCTS. INC. sales@wallworks.com