

OBLIX



OBLIX™ | PET Acoustical Ceiling Baffle

Distinctive lines create interesting simplicity. Oblix uses diagonal lines to offer a visually bold yet beautifully clean design solution to a variety of spaces – all while improving the acoustics of the space.



POLY-COUSTIX®
BY SOUND SEAL

Distributed by:
WALLWORKS. ACOUSTIC. ARCHITECTURAL. PRODUCTS. INC.
sales@wallworks.com

OBLIX™

FEATURES:

- Choice of 354 Colors
- Lightweight and Easy to Handle
- Modern Design
- Excellent Acoustical Values
- Repeatable Pattern

SPECIFICATIONS

Standard Baffle Size (LxWxH): 47" x 47" x 12"
Weight: 16 lbs.
Fire Rating: Class A per ASTM E-84

HARDWARE OPTIONS

Product can be installed with aircraft cable


ACOUSTICAL DATA

Frequency (Hz)	125	250	500	1000	2000	4000	SABINS
Oblix	1.17	11.31	15.60	21.20	28.71	33.39	

Frequency (Hz)	125	250	500	1000	2000	4000	NRC
Oblix	.43	.74	1.02	1.38	1.87	2.18	1.25

Based on Baffle size 4' x 4' with Type "J" Mounting. Sabins are based on Sabins per Object, NRC is an equivalent number based on one face of one panel

INSTALLATION via Aircraft Cable (see installation document)



OBLIX™ | PET Acoustical Ceiling Baffle

OBLIX™

COMPOSITION:





- 100% Polyethylene Terephthalate (PET)
- 55% recycled content

ENVIRONMENTAL FACTORS:

- 100% recyclable
- Low VOC Emissions
- LEED - MRc4



FINISHES

						
07 White	44 Ivory	42 Cream	52 Latte	53 Smoke Beige	02 Taupe	35 Speckled Earth
						
49 Brunette	54 Espresso	45 Big Red	43 Lava	36 Berry Red	55 Tangerine	50 Caramel
						
41 Marigold	51 Sunkist Orange	22 Yellow	39 Green Apple	12 Moss	48 Avocado	05 Dark Green
						
47 Emerald	18 Arctic Ice	30 Blue	56 Azure	19 Denim	21 Indigo Blue	09 Deep Blue
						
08 Eggplant	03 Light Gray	34 Pure Gray	11 Steel	17 Dark Gray	10 True Black	



POLY-FOUSTIX®
BY SOUND SEAL

SOUND SEAL

Distributed by:
WALLWORKS. ACOUSTIC. ARCHITECTURAL. PRODUCTS. INC.
sales@wallworks.com