



- Excellent acoustical performance
- High-quality, economical, multi-purpose panels
- Class A fire rated
- Standard, designer or C.O.M. fabrics
- Various mounting options
- Custom sizes and shapes



DISTRIBUTED IN CANADA BY  
**WALLWORKS.ACOUSTIC**  
**ARCHITECTURAL.PRODUCTS.INC**  
SALES@WALLWORKS.COM

# CEILING CLOUDS

Sound Quality® Ceiling Clouds are perfect for the reduction of sound in ceiling areas. They are suspended horizontally with D-Rings (for panels up to 4' x 4') or T-grid attachment for larger panels.

The Sound Quality Ceiling Clouds are constructed with a 6-7# PCF rigid fiberglass absorber core. The edges are available in natural or chemically hardened and are available in 4 edge profiles.

## FINISHES

Guilford of Maine FR701 Style 2100 is the industry standard. Hundreds of approved decorative fabrics are also available from numerous manufacturers including, but not limited to: Guilford of Maine, Maharam, Design Tex and Knoll. Customers may also specify their own fabric, provided the material meets manufacturing requirements.

## ACOUSTICAL

NRC Rating

|            |       |             |
|------------|-------|-------------|
| 1/2" Thick | _____ | .50 – .60   |
| 1" Thick   | _____ | .80 – .90   |
| 2" Thick   | _____ | 1.05 – 1.25 |


## SIZING

All panels are custom made with sizing up to a maximum 4' x 10' and with thickness ranging from 1/2"–4' thick.


## MOUNTING OPTIONS

D-Rings, T-Grids or Rotofast Cloud Anchors


## EDGE DETAILS




Square



Miter



Bevel



Radius

## SPECIFICATIONS

Specifications can be downloaded from our website  
**www.soundseal.com** or call us at **1.800.569.1294**